



Switch light settings without switching spots

SceneSwitch LEDspot

Some situations call for cool light, others benefit from the ambience of a warm, cosy glow. With Philips SceneSwitch LEDspot, you can have different light settings from just one spot. And you don't need a dimmer! Optimise your lighting for relaxing, hobbies, recreation or working. Simply at the flick of a switch. And that's your existing switch! No extra installation is required.

Benefits

- Create your own scene with one lamp simply using your existing light switch
- No dimmer or additional installation needed
- Auto memory: recall your last setting automatically

Features

- Multiple light settings in one lamp
- Plug and play
- Built-in memory chip

Application



- Indoor applications in open luminaires (with an open/free air gap of min. 10 mm)
- Accent and general lighting (e.g. hotels, shops and offices)

SceneSwitch LEDspot

Versions



Dimensional drawing



Product	D	C
LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	50 mm	54 mm

Product	D	C
LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	50 mm	54 mm

SceneSwitch LEDspot

Approval and Application

Energy Consumption kWh/1000 h 5 kWh

Controls and Dimming

Dimmable No

Operating and Electrical

Input Frequency 50 to 60 Hz

Voltage (Nom) 220-240 V

Starting Time (Nom) 0.5 s

General Information

Cap-Base GU10

Nominal Lifetime (Nom) 15000 h

Switching Cycle 50,000X

Light Technical

Beam Angle (Nom) 36 °

Colour Code 827/825/822

Colour Rendering Index (Nom) 80

Llmf At End Of Nominal Lifetime (Nom) 70 %

Luminous Intensity (Nom) 600 cd

Mechanical and Housing

Bulb Shape PAR16

Operating and Electrical

Order Code	Full Product Name	Wattage Equivalent	Power (Rated) (Nom)
77363200	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	-	5, 3.5, 1.5 W
30778000	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	50 W	4.8, 3.5, 1.5 W


Light Technical

Order Code	Full Product Name	Correlated Colour Temperature (Nom)	Luminous Flux (Nom)
77363200	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	2200, 2500, 2700 K	345 lm


Order Code	Full Product Name	Correlated Colour Temperature (Nom)	Luminous Flux (Nom)
30778000	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	2700, 2500, 2200 K	355 lm

Temperature


Order Code	Full Product Name	T-Case Maximum (Nom)
77363200	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	80 °C
30778000	LED SceneSwitch 50W GU10 WW 36D RF ND SRT4	75 °C




SceneSwitch LEDspot



Accent Diagrams




SceneSwitch LED Lamps 50W GU10 827 36D SSW




LEDspots SSW SLR 50W PAR16 GU10 827 36D-LA2-LA2

Beam Diagrams



SceneSwitch LED Lamps 50W GU10 827 36D SSW



LEDspots SSW SLR 50W PAR16 GU10 827 36D-LBP-LBP

