



A superior light quality, highly efficient and reliable solution.

Coreline Highbay Gen4

Following the success of the previous-generation CoreLine High-bay, the upgrade to a new generation further improves performance with new innovation design and provides higher efficiency, longer lifetime (to further improve the total cost of ownership) and optional DALI dimming for even further savings. Designed as a replacement for HPI 250/400 W luminaires, CoreLine High-bay G4 offers customers all the benefits of LED lighting – fresh light quality, longer service lifetime, reduced energy consumption and less maintenance – from a trusted manufacturer. At the same time, it delivers clear benefits for the installer too. The luminaire can be installed on the existing grid; electrical connection is straightforward – there is no need to open the luminaire for installation or servicing; and being smaller and lighter than conventional luminaires, it is very easy to handle

Benefits

- Highly efficient, robust and reliable, with a long service lifetime
- Optional beam angles (NB/WB) to meet application requirements
- High-quality visibility and uniformity with limited glare

Features

- High efficiency of up to 145 lm/W
- Long service lifetime of 50 K hrs at L80
- A single-point mounting system for ease of installation
- Low glare rating and colour rendering of ≥ 80
- Suitable for replacement of 250 W/400 W conventional lamps

Coreline Highbay Gen4

Application

- General manufacturing
- Warehouses and logistical centres
- Exhibition halls and high ceiling lounges

Versions



90°



Product details



CoreLineHighbay Gen4 BY121P-SNHR200



CoreLine Highbay PSD single suspension point

Coreline Highbay Gen4

Product details

CoreLine Highbay PSD BY120P top view



CoreLine Highbay PSD BY121P top view



Accessories

Ordercode 34186600



Ordercode 34187300



Application Conditions	
Ambient temperature range	-30 to +45 °C
General Information	
CE mark	CE mark
Protection class IEC	Safety class I
Driver included	Yes
Glow-wire test	Temperature 650 °C, duration 30 s
Light source replaceable	No
Initial Performance (IEC Compliant)	
Luminous flux tolerance	+/-10%

Order Code	Full Product Name	Driver failure rate at 5,000 hours
52704100	BY120P G4 LED100S/840 SRD NB H4	-
52705800	BY121P G4 LED200S/840 SRD NB H4	-
52706500	BY120P G4 LED100S/840 SRD WB H4	-
52707200	BY121P G4 LED200S/840 SRD WB H4	-
52703400	BY122P G4 LED250S/840 SRD NB H4	-
52708900	BY122P G4 LED250S/840 SRD WB H4	-
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	-
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	-
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	-

Order Code	Full Product Name	Driver failure rate at 5,000 hours
33571100	BY120P G4 LED100S/840 PSU NB	0.3 %
33570400	BY120P G4 LED100S/840 PSU WB	0.3 %
33567400	BY120P G4 LED100S/865 PSU NB	0.3 %
33566700	BY120P G4 LED100S/865 PSU WB	0.3 %
33569800	BY121P G4 LED200S/840 PSU NB	0.3 %
33568100	BY121P G4 LED200S/840 PSU WB	0.3 %
33565000	BY121P G4 LED200S/865 PSU NB	0.3 %
33564300	BY121P G4 LED200S/865 PSU WB	0.3 %
33664000	BY122P G4 LED250/840 PSU NB	0.3 %

Coreline Highbay Gen4

Order Code	Full Product Name	Driver failure rate at 5,000 hours
33665700	BY122P G4 LED250S/840 PSU WB	0.3 %
33666400	BY122P G4 LED250S/865 PSU NB	0.3 %
33667100	BY122P G4 LED250S/865 PSU WB	0.3 %
33702900	BY120P G4 LED100S/840 PSD NB	0.3 %
33703600	BY120P G4 LED100S/840 PSD WB	0.3 %
33704300	BY120P G4 LED100S/865 PSD NB	0.3 %
33705000	BY120P G4 LED100S/865 PSD WB	0.3 %
33698500	BY121P G4 LED200S/840 PSD NB	0.3 %

Order Code	Full Product Name	Driver failure rate at 5,000 hours
33699200	BY121P G4 LED200S/840 PSD WB	0.3 %
33700500	BY121P G4 LED200S/865 PSD NB	0.3 %
33701200	BY121P G4 LED200S/865 PSD WB	0.3 %
33879800	BY122P G4 LED250/840 PSD NB	0.3 %
33880400	BY122P G4 LED250/840 PSD WB	0.3 %
33881100	BY122P G4 LED250/860 PSD NB	0.3 %
33882800	BY122P G4 LED250/860 PSD WB	0.3 %

Application Conditions

Order Code	Full Product Name	Maximum dimming level	Suitable for random switching
52704100	BY120P G4 LED100S/840 SRD NB H4	-	Yes (relates to presence/movement detection and daylight harvesting)
52705800	BY121P G4 LED200S/840 SRD NB H4	-	Yes (relates to presence/movement detection and daylight harvesting)
52706500	BY120P G4 LED100S/840 SRD WB H4	-	Yes (relates to presence/movement detection and daylight harvesting)
52707200	BY121P G4 LED200S/840 SRD WB H4	-	Yes (relates to presence/movement detection and daylight harvesting)
52703400	BY122P G4 LED250S/840 SRD NB H4	-	Yes (relates to presence/movement detection and daylight harvesting)
52708900	BY122P G4 LED250S/840 SRD WB H4	-	Yes (relates to presence/movement detection and daylight harvesting)

Order Code	Full Product Name	Maximum dimming level	Suitable for random switching
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	10%	Yes
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	10%	Yes
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	10%	Yes
33571100	BY120P G4 LED100S/840 PSU NB	Not applicable	Yes
33570400	BY120P G4 LED100S/840 PSU WB	Not applicable	Yes
33567400	BY120P G4 LED100S/865 PSU NB	Not applicable	Yes
33566700	BY120P G4 LED100S/865 PSU WB	Not applicable	Yes
33569800	BY121P G4 LED200S/840 PSU NB	Not applicable	Yes
33568100	BY121P G4 LED200S/840 PSU WB	Not applicable	Yes
33565000	BY121P G4 LED200S/865 PSU NB	Not applicable	Yes
33564300	BY121P G4 LED200S/865 PSU WB	Not applicable	Yes
33664000	BY122P G4 LED250/840 PSU NB	Not applicable	Yes
33665700	BY122P G4 LED250S/840 PSU WB	Not applicable	Yes
33666400	BY122P G4 LED250S/865 PSU NB	Not applicable	Yes
33667100	BY122P G4 LED250S/865 PSU WB	Not applicable	Yes
33702900	BY120P G4 LED100S/840 PSD NB	1%	Yes
33703600	BY120P G4 LED100S/840 PSD WB	1%	Yes
33704300	BY120P G4 LED100S/865 PSD NB	1%	Yes
33705000	BY120P G4 LED100S/865 PSD WB	1%	Yes
33698500	BY121P G4 LED200S/840 PSD NB	1%	Yes
33699200	BY121P G4 LED200S/840 PSD WB	1%	Yes
33700500	BY121P G4 LED200S/865 PSD NB	1%	Yes
33701200	BY121P G4 LED200S/865 PSD WB	1%	Yes
33879800	BY122P G4 LED250/840 PSD NB	1%	Yes
33880400	BY122P G4 LED250/840 PSD WB	1%	Yes
33881100	BY122P G4 LED250/860 PSD NB	1%	Yes
33882800	BY122P G4 LED250/860 PSD WB	1%	Yes

Approval and Application

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
52704100	BY120P G4 LED100S/840 SRD NB H4	IK05	IP65

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
52705800	BY121P G4 LED200S/840 SRD NB H4	IK05	IP65

Coreline Highbay Gen4

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
52706500	BY120P G4 LED100S/840 SRD WB H4	IK05	IP65
52707200	BY121P G4 LED200S/840 SRD WB H4	IK05	IP65
52703400	BY122P G4 LED250S/840 SRD NB H4	IK05	IP65
52708900	BY122P G4 LED250S/840 SRD WB H4	IK05	IP65
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	IK05	IP20
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	IK05	IP20
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	IK05	IP20
33571100	BY120P G4 LED100S/840 PSU NB	IK07	IP65
33570400	BY120P G4 LED100S/840 PSU WB	IK07	IP65
33567400	BY120P G4 LED100S/865 PSU NB	IK07	IP65
33566700	BY120P G4 LED100S/865 PSU WB	IK07	IP65
33569800	BY121P G4 LED200S/840 PSU NB	IK07	IP65
33568100	BY121P G4 LED200S/840 PSU WB	IK07	IP65
33565000	BY121P G4 LED200S/865 PSU NB	IK07	IP65

Order Code	Full Product Name	Mech. impact protection code	Ingress protection code
33564300	BY121P G4 LED200S/865 PSU WB	IK07	IP65
33664000	BY122P G4 LED250/840 PSU NB	IK07	IP65
33665700	BY122P G4 LED250S/840 PSU WB	IK07	IP65
33666400	BY122P G4 LED250S/865 PSU NB	IK07	IP65
33667100	BY122P G4 LED250S/865 PSU WB	IK07	IP65
33702900	BY120P G4 LED100S/840 PSD NB	IK07	IP65
33703600	BY120P G4 LED100S/840 PSD WB	IK07	IP65
33704300	BY120P G4 LED100S/865 PSD NB	IK07	IP65
33705000	BY120P G4 LED100S/865 PSD WB	IK07	IP65
33698500	BY121P G4 LED200S/840 PSD NB	IK07	IP65
33699200	BY121P G4 LED200S/840 PSD WB	IK07	IP65
33700500	BY121P G4 LED200S/865 PSD NB	IK07	IP65
33701200	BY121P G4 LED200S/865 PSD WB	IK07	IP65
33879800	BY122P G4 LED250/840 PSD NB	IK07	IP65
33880400	BY122P G4 LED250/840 PSD WB	IK07	IP65
33881100	BY122P G4 LED250/860 PSD NB	IK07	IP65
33882800	BY122P G4 LED250/860 PSD WB	IK07	IP65

Controls and Dimming

Order Code	Full Product Name	Dimmable
52704100	BY120P G4 LED100S/840 SRD NB H4	Yes
52705800	BY121P G4 LED200S/840 SRD NB H4	Yes
52706500	BY120P G4 LED100S/840 SRD WB H4	Yes
52707200	BY121P G4 LED200S/840 SRD WB H4	Yes
52703400	BY122P G4 LED250S/840 SRD NB H4	Yes
52708900	BY122P G4 LED250S/840 SRD WB H4	Yes
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	Yes
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	Yes
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	Yes
33571100	BY120P G4 LED100S/840 PSU NB	No
33570400	BY120P G4 LED100S/840 PSU WB	No
33567400	BY120P G4 LED100S/865 PSU NB	No
33566700	BY120P G4 LED100S/865 PSU WB	No
33569800	BY121P G4 LED200S/840 PSU NB	No
33568100	BY121P G4 LED200S/840 PSU WB	No
33565000	BY121P G4 LED200S/865 PSU NB	No
33564300	BY121P G4 LED200S/865 PSU WB	No

Order Code	Full Product Name	Dimmable
33664000	BY122P G4 LED250/840 PSU NB	No
33665700	BY122P G4 LED250S/840 PSU WB	No
33666400	BY122P G4 LED250S/865 PSU NB	No
33667100	BY122P G4 LED250S/865 PSU WB	Yes
33702900	BY120P G4 LED100S/840 PSD NB	Yes
33703600	BY120P G4 LED100S/840 PSD WB	Yes
33704300	BY120P G4 LED100S/865 PSD NB	Yes
33705000	BY120P G4 LED100S/865 PSD WB	Yes
33698500	BY121P G4 LED200S/840 PSD NB	Yes
33699200	BY121P G4 LED200S/840 PSD WB	Yes
33700500	BY121P G4 LED200S/865 PSD NB	Yes
33701200	BY121P G4 LED200S/865 PSD WB	Yes
33879800	BY122P G4 LED250/840 PSD NB	Yes
33880400	BY122P G4 LED250/840 PSD WB	Yes
33881100	BY122P G4 LED250/860 PSD NB	Yes
33882800	BY122P G4 LED250/860 PSD WB	Yes

Operating and Electrical

Order Code	Full Product Name	Input Voltage
52704100	BY120P G4 LED100S/840 SRD NB H4	220-240 V
52705800	BY121P G4 LED200S/840 SRD NB H4	220-240 V
52706500	BY120P G4 LED100S/840 SRD WB H4	220-240 V
52707200	BY121P G4 LED200S/840 SRD WB H4	220-240 V
52703400	BY122P G4 LED250S/840 SRD NB H4	220-240 V
52708900	BY122P G4 LED250S/840 SRD WB H4	220-240 V
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	220 to 240 V

Order Code	Full Product Name	Input Voltage
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	220 to 240 V
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	220 to 240 V
33571100	BY120P G4 LED100S/840 PSU NB	220 to 240 V
33570400	BY120P G4 LED100S/840 PSU WB	220 to 240 V
33567400	BY120P G4 LED100S/865 PSU NB	220 to 240 V
33566700	BY120P G4 LED100S/865 PSU WB	220 to 240 V
33569800	BY121P G4 LED200S/840 PSU NB	220 to 240 V

Coreline Highbay Gen4

Order Code	Full Product Name	Input Voltage	Order Code	Full Product Name	Input Voltage
33568100	BY121P G4 LED200S/840 PSU WB	220 to 240 V	33705000	BY120P G4 LED100S/865 PSD WB	220 to 240 V
33565000	BY121P G4 LED200S/865 PSU NB	220 to 240 V	33698500	BY121P G4 LED200S/840 PSD NB	220 to 240 V
33564300	BY121P G4 LED200S/865 PSU WB	220 to 240 V	33699200	BY121P G4 LED200S/840 PSD WB	220 to 240 V
33664000	BY122P G4 LED250/840 PSU NB	220 to 240 V	33700500	BY121P G4 LED200S/865 PSD NB	220 to 240 V
33665700	BY122P G4 LED250S/840 PSU WB	220 to 240 V	33701200	BY121P G4 LED200S/865 PSD WB	220 to 240 V
33666400	BY122P G4 LED250S/865 PSU NB	220 to 240 V	33879800	BY122P G4 LED250/840 PSD NB	220 to 240 V
33667100	BY122P G4 LED250S/865 PSU WB	220 to 240 V	33880400	BY122P G4 LED250/840 PSD WB	220 to 240 V
33702900	BY120P G4 LED100S/840 PSD NB	220 to 240 V	33881100	BY122P G4 LED250/860 PSD NB	220 to 240 V
33703600	BY120P G4 LED100S/840 PSD WB	220 to 240 V	33882800	BY122P G4 LED250/860 PSD WB	220 to 240 V
33704300	BY120P G4 LED100S/865 PSD NB	220 to 240 V			

General Information

Order Code	Full Product Name	Beam angle of light source	Optical cover/lens		ENEC mark	Flammability mark	Number of gear units	Optic type
			type					
52704100	BY120P G4 LED100S/840 SRD NB H4	-	-		ENEC mark	F	1 unit	60
52705800	BY121P G4 LED200S/840 SRD NB H4	-	-		ENEC mark	F	1 unit	60
52706500	BY120P G4 LED100S/840 SRD WB H4	-	-		ENEC mark	F	1 unit	90
52707200	BY121P G4 LED200S/840 SRD WB H4	-	-		ENEC mark	F	1 unit	90
52703400	BY122P G4 LED250S/840 SRD NB H4	-	-		ENEC mark	F	2 units	60
52708900	BY122P G4 LED250S/840 SRD WB H4	-	-		ENEC mark	F	2 units	90
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	-	Lens		-	NO	1 unit	90
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	-	Lens		-	NO	1 unit	Beam angle 55°
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	-	Lens		-	NO	2 units	Beam angle 55°
33571100	BY120P G4 LED100S/840 PSU NB	55°	PC		-	D	1 unit	NB
33570400	BY120P G4 LED100S/840 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33567400	BY120P G4 LED100S/865 PSU NB	55°	PC		-	D	1 unit	NB
33566700	BY120P G4 LED100S/865 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33569800	BY121P G4 LED200S/840 PSU NB	55°	PC		-	D	1 unit	NB
33568100	BY121P G4 LED200S/840 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33565000	BY121P G4 LED200S/865 PSU NB	55°	PC		-	D	1 unit	NB
33564300	BY121P G4 LED200S/865 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33664000	BY122P G4 LED250/840 PSU NB	55°	PC		-	D	1 unit	NB
33665700	BY122P G4 LED250S/840 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33666400	BY122P G4 LED250S/865 PSU NB	55°	PC		-	D	1 unit	NB
33667100	BY122P G4 LED250S/865 PSU WB	90 x 90°	PC		-	D	1 unit	WB
33702900	BY120P G4 LED100S/840 PSD NB	55°	PC		-	D	1 unit	NB
33703600	BY120P G4 LED100S/840 PSD WB	90 x 90°	PC		-	D	1 unit	WB
33704300	BY120P G4 LED100S/865 PSD NB	55°	PC		-	D	1 unit	NB
33705000	BY120P G4 LED100S/865 PSD WB	90 x 90°	PC		-	D	1 unit	WB
33698500	BY121P G4 LED200S/840 PSD NB	55°	PC		-	D	1 unit	NB
33699200	BY121P G4 LED200S/840 PSD WB	90 x 90°	PC		-	D	1 unit	WB
33700500	BY121P G4 LED200S/865 PSD NB	55°	PC		-	D	1 unit	NB
33701200	BY121P G4 LED200S/865 PSD WB	90 x 90°	PC		-	D	1 unit	WB
33879800	BY122P G4 LED250/840 PSD NB	55°	PC		-	D	2 units	NB
33880400	BY122P G4 LED250/840 PSD WB	90 x 90°	PC		-	D	2 units	WB
33881100	BY122P G4 LED250/860 PSD NB	55°	PC		-	D	2 units	NB
33882800	BY122P G4 LED250/860 PSD WB	90 x 90°	PC		-	D	2 units	WB

Initial Performance (IEC Compliant)

Coreline Highbay Gen4

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour		Init. Colour	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
			Temperature		rendering index			
52704100	BY120P G4 LED100S/840 SRD NB H4	(0.385, 0.380) SDCM<5	4000 K		>80	144 lm/W	10500 lm	73 W
52705800	BY121P G4 LED200S/840 SRD NB H4	(0.385, 0.380) SDCM<5	4000 K		>80	140 lm/W	20500 lm	145 W
52706500	BY120P G4 LED100S/840 SRD WB H4	(0.385, 0.380) SDCM<5	4000 K		>80	144 lm/W	10500 lm	73 W
52707200	BY121P G4 LED200S/840 SRD WB H4	(0.385, 0.380) SDCM<5	4000 K		>80	140 lm/W	20500 lm	145 W
52703400	BY122P G4 LED250S/840 SRD NB H4	(0.385, 0.380) SDCM<5	4000 K		>80	139 lm/W	25500 lm	183 W
52708900	BY122P G4 LED250S/840 SRD WB H4	(0.385, 0.380) SDCM<5	4000 K		>80	139 lm/W	25500 lm	183 W
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	(0.381,0.378)SDCM<=5	4000 K		≥80	137 lm/W	20000 lm	145 W
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	(0.381,0.378)SDCM<=5	4000 K		≥80	137 lm/W	10000 lm	73 W
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	(0.381,0.378)SDCM<=5	4000 K		≥80	137 lm/W	25000 lm	183 W
33571100	BY120P G4 LED100S/840 PSU NB	(0.38, 0.38) SDCM <5	4000 K		>80	145 lm/W	10000 lm	69 W
33570400	BY120P G4 LED100S/840 PSU WB	(0.38, 0.38) SDCM <5	4000 K		>80	145 lm/W	10000 lm	69 W
33567400	BY120P G4 LED100S/865 PSU NB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	10000 lm	69 W
33566700	BY120P G4 LED100S/865 PSU WB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	10000 lm	69 W
33569800	BY121P G4 LED200S/840 PSU NB	(0.38, 0.38) SDCM <5	4000 K		>80	145 lm/W	20000 lm	138 W
33568100	BY121P G4 LED200S/840 PSU WB	(0.38, 0.38) SDCM <5	4000 K		>80	145 lm/W	20000 lm	138 W
33565000	BY121P G4 LED200S/865 PSU NB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	20000 lm	138 W
33564300	BY121P G4 LED200S/865 PSU WB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	20000 lm	138 W
33664000	BY122P G4 LED250/840 PSU NB	(0.38, 0.38) SDCM <5	4000 K		>80	145 lm/W	25000 lm	172 W
33665700	BY122P G4 LED250S/840 PSU WB	(0.307, 0.323) SDCM <5	4000 K		>80	145 lm/W	25000 lm	172 W
33666400	BY122P G4 LED250S/865 PSU NB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	25000 lm	172 W
33667100	BY122P G4 LED250S/865 PSU WB	(0.307, 0.323) SDCM <5	6500 K		>80	145 lm/W	25000 lm	172 W
33702900	BY120P G4 LED100S/840 PSD NB	(0.38, 0.38) SDCM <5	4000 K		>80	137 lm/W	10000 lm	73 W
33703600	BY120P G4 LED100S/840 PSD WB	(0.38, 0.38) SDCM <5	4000 K		>80	137 lm/W	10000 lm	73 W
33704300	BY120P G4 LED100S/865 PSD NB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	10000 lm	73 W
33705000	BY120P G4 LED100S/865 PSD WB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	10000 lm	73 W
33698500	BY121P G4 LED200S/840 PSD NB	(0.38, 0.38) SDCM <5	4000 K		>80	137 lm/W	20000 lm	146 W
33699200	BY121P G4 LED200S/840 PSD WB	(0.38, 0.38) SDCM <5	4000 K		>80	137 lm/W	20000 lm	146 W
33700500	BY121P G4 LED200S/865 PSD NB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	20000 lm	146 W
33701200	BY121P G4 LED200S/865 PSD WB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	20000 lm	146 W
33879800	BY122P G4 LED250/840 PSD NB	(0.38, 0.38) SDCM <5	4000 K		>80	137 lm/W	25000 lm	183 W
33880400	BY122P G4 LED250/840 PSD WB	(0.307, 0.323) SDCM <5	4000 K		>80	137 lm/W	25000 lm	183 W
33881100	BY122P G4 LED250/860 PSD NB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	25000 lm	183 W
33882800	BY122P G4 LED250/860 PSD WB	(0.307, 0.323) SDCM <5	6500 K		>80	137 lm/W	25000 lm	183 W

Mechanical and Housing

Order Code	Full Product Name	Colour	Order Code	Full Product Name	Colour
52704100	BY120P G4 LED100S/840 SRD NB H4	Aluminium and Grey	33570400	BY120P G4 LED100S/840 PSU WB	Grey
52705800	BY121P G4 LED200S/840 SRD NB H4	Aluminium and Grey	33567400	BY120P G4 LED100S/865 PSU NB	Grey
52706500	BY120P G4 LED100S/840 SRD WB H4	Aluminium and Grey	33566700	BY120P G4 LED100S/865 PSU WB	Grey
52707200	BY121P G4 LED200S/840 SRD WB H4	Aluminium and Grey	33569800	BY121P G4 LED200S/840 PSU NB	Grey
52703400	BY122P G4 LED250S/840 SRD NB H4	Aluminium and Grey	33568100	BY121P G4 LED200S/840 PSU WB	Grey
52708900	BY122P G4 LED250S/840 SRD WB H4	Aluminium and Grey	33565000	BY121P G4 LED200S/865 PSU NB	Grey
36084300	BY121P G4 LED200S/840 SRD WB SNHR200	Grey	33564300	BY121P G4 LED200S/865 PSU WB	Grey
36391200	BY120P G4 LED100S/840 SRD NB SNHR200	Grey	33664000	BY122P G4 LED250/840 PSU NB	Grey
36392900	BY122P G4 LED250S/840 SRD NB SNHR200	Grey	33665700	BY122P G4 LED250S/840 PSU WB	Grey
33571100	BY120P G4 LED100S/840 PSU NB	Grey	33666400	BY122P G4 LED250S/865 PSU NB	Grey

Coreline Highbay Gen4

Order Code	Full Product Name	Colour
33667100	BY122P G4 LED250S/865 PSU WB	Grey
33702900	BY120P G4 LED100S/840 PSD NB	Grey
33703600	BY120P G4 LED100S/840 PSD WB	Grey
33704300	BY120P G4 LED100S/865 PSD NB	Grey
33705000	BY120P G4 LED100S/865 PSD WB	Grey
33698500	BY121P G4 LED200S/840 PSD NB	Grey
33699200	BY121P G4 LED200S/840 PSD WB	Grey

Order Code	Full Product Name	Colour
33700500	BY121P G4 LED200S/865 PSD NB	Grey
33701200	BY121P G4 LED200S/865 PSD WB	Grey
33879800	BY122P G4 LED250/840 PSD NB	Grey
33880400	BY122P G4 LED250/840 PSD WB	Grey
33881100	BY122P G4 LED250/860 PSD NB	Grey
33882800	BY122P G4 LED250/860 PSD WB	Grey

