



MASTER Glass LED bulbs

MAS LEDBulbDT3.4 -40W E27 927 A60 FR G

Featuring a classic heritage design, classic filament LED lamps combine the familiar shapes of incandescent bulbs with the benefits of the long-lasting LED technology. It is an ideal product to provide customers with a cosy atmosphere. The MASTER LED bulbs can be dimmed to different lumen levels and colour temperatures. MASTER Glass Led Bulbs deliver significant energy savings, offering even 30% more compared to normal LED. They provide excellent quality of light. By offering a lifetime of 25,000 hours, the lamps reduce maintenance costs.

Product data

General Information	
Cap base	E27 [E27]
EU RoHS compliant	Yes
Nominal lifetime (nom.)	25000 h
Switching cycle	20,000X
	Sphere

Light Technical	
Colour Code	922-927 [CCT of 2,200 K-2,700 K]
Luminous flux (nom.)	470 lm
Colour designation	Warm Glow (WG)
Correlated Colour Temperature (Nom)	2200 2700 K
Luminous efficacy (rated) (nom.)	138.00 lm/W
Colour consistency	<6
Colour rendering index (nom.)	90
LLMF at end of nominal lifetime (nom.)	70 %

Operating and Electrical	
Input frequency	50 to 60 Hz
Power (Rated) (Nom)	3.4 W
Lamp current (nom.)	24 mA
Wattage equivalent	40 W
Starting time (nom.)	0.5 s
Warm-up time to 60% light (nom.)	0.5 s
Power factor (nom.)	0.6
Voltage (Nom)	220-240 V

Temperature	
T-Case maximum (nom.)	70 °C

Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]

MASTER Glass LED bulbs

Approval and Application


Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	4 kWh
	453243

Product Data

Full product code	871951432467100
Order product name	MAS LEDBulbDT3.4 -40W E27 927 A60 FR G

EAN/UPC – product	8719514324671
Order code	32467100
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003010002
SAP net weight (piece)	0.030 kg


Dimensional drawing




Bulb A60 EU 3.5-40W 475lm WG E27 FR

Product	D	C
MAS LEDBulbDT3.4 -40W E27 927 A60 FR G	60 mm	104 mm


Photometric data



LEDbulb MAS SLR A60 3,4W E27 927 FR-LDD



LEDbulb MAS SLR 3,4W A60 E27 927 CL-POC




Calculator Photometric 01 Page Lighting 01 Page 1/1

LEDbulb MAS SLR 3,4W A60 E27 927 FR-GUL

MASTER Glass LED bulbs

Lifetime



LEDspots LED 25K

LEDspots LMP 25K

