



MASTER Value Glass LED bulbs

MASTER VLE LEDBulbD 3.4-40W B22 A60 927FR G

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimmable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data


| General Information | | Operating and Electrical | |
|-------------------------------------|-----------------------|--|-------------|
| Cap base | B22 [B22] | Colour rendering index (nom.) | 90 |
| EU RoHS compliant | Yes | LLMF at end of nominal lifetime (nom.) | 70 % |
| Nominal lifetime (nom.) | 15000 h | Input frequency | 50 to 60 Hz |
| Switching cycle | 20,000X | Power (Rated) (Nom) | 3.4 W |
| | Sphere | Lamp current (nom.) | 24 mA |
| | | Wattage equivalent | 40 W |
| Light Technical | | Starting time (nom.) | 0.5 s |
| Colour Code | 927 [CCT of 2,700 K] | Warm-up time to 60% light (nom.) | 0.5 s |
| Luminous flux (nom.) | 470 lm | Power factor (nom.) | 0.6 |
| Colour designation | Warm white (WW) | Voltage (Nom) | 220-240 V |
| Correlated Colour Temperature (Nom) | 2700 K | | |
| Luminous efficacy (rated) (nom.) | 138.00 lm/W | | |
| Colour consistency | <6 | | |

MASTER Value Glass LED bulbs

| Temperature | |
|------------------------------------|----------------------------|
| T-Case maximum (nom.) | 70 °C |
| Controls and Dimming | |
| Dimmable | Only with specific dimmers |
| Mechanical and Housing | |
| Lamp Finish | Frosted |
| Bulb shape | A60 [A 60mm] |
| Approval and Application | |
| Energy Efficiency Class | D |
| Energy consumption kWh/1,000 hours | 4 kWh |
| | 453245 |

| Product Data | |
|-----------------------------------|---|
| Full product code | 871951432471800 |
| Order product name | MASTER VLE LEDBulbD 3.4-40W B22 A60 927FR G |
| EAN/UPC – product | 8719514324718 |
| Order code | 32471800 |
| SAP numerator – quantity per pack | 1 |
| Numerator – packs per outer box | 10 |
| SAP material | 929003010202 |
| SAP net weight (piece) | 0.030 kg |


Dimensional drawing




MASTER VLE LEDBulbD 3.4-40W B22 A60 927FR G

| Product | D | C |
|---|-------|--------|
| MASTER VLE LEDBulbD 3.4-40W B22 A60 927FR G | 60 mm | 103 mm |

Photometric data




LEDbulb MAS SLR A60 3,4W E27 927 FR-LDD



LEDbulb MAS SLR 3,4W A60 B22 927 FR-GUL

MASTER Value Glass LED bulbs

Photometric data




LEDbulb MAS SLR 3,4W A60 E27 927 CL-POC

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

