



MASTER Value Glass LED bulbs

MASTERVLE LEDBulbD10.5-100W B22A60 927FRGUK

Featuring a classic heritage design, these filament LED bulbs combine the familiar shapes of incandescent bulbs with the benefits of long-lasting LED technology. These MASTER Value Glass LED bulbs offer more energy savings than normal glass LED bulbs. At the same time, they also provide customers with good light experience, enhanced by excellent dimming performance (dimnable glass LED bulbs). MASTER Value Glass LED Bulbs deliver significant energy savings, using 30% less energy compared to normal LED bulbs and provide excellent quality of light. By offering a lifetime of 15,000 hours, these dimmable LED bulbs also reduce maintenance costs.

Product data


General Information		LLMF at end of nominal lifetime (nom.) 70 %	
Cap base	B22 [B22]		
EU RoHS compliant	Yes		
Nominal lifetime (nom.)	15000 h		
Switching cycle	20,000X		
Light Technical		Operating and Electrical	
Colour Code	927 [CCT of 2,700 K]	Input frequency	50 to 60 Hz
Luminous flux (nom.)	1521 lm	Power (Rated) (Nom)	10.5 W
Colour designation	Warm white (WW)	Lamp current (nom.)	55 mA
Correlated Colour Temperature (Nom)	2700 K	Wattage equivalent	100 W
Luminous efficacy (rated) (nom.)	144.00 lm/W	Starting time (nom.)	0.5 s
Colour consistency	<6	Warm-up time to 60% light (nom.)	0.5 s
Colour rendering index (nom.)	90	Power factor (nom.)	0.9
		Voltage (Nom)	220-240 V

MASTER Value Glass LED bulbs

Temperature	
T-Case maximum (nom.)	70 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Lamp Finish	Frosted
Bulb shape	A60 [A 60mm]
Approval and Application	
Energy Efficiency Class	D
Energy consumption kWh/1,000 hours	11 kWh
	453261

Product Data	
Full product code	871951432503601
Order product name	MASTERVLE LEDBulbD10.5-100W B22A60 927FRGUK
EAN/UPC – product	8719514325036
Order code	32503601
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
SAP material	929003011899
SAP net weight (piece)	0.030 kg


Dimensional drawing




MASTERVLE LEDBulbD10.5-100W B22A60 927FRGUK

Product	D	C
MASTERVLE LEDBulbD10.5-100W B22A60 927FRGUK	60 mm	107 mm

Photometric data




LEDbulb MAS SLR 10,5W A60 E27 927 CL-POC



LEDbulb MAS SLR A60 10,5W E27 927 FR-LDD

MASTER Value Glass LED bulbs

Photometric data




© Philips Lighting B.V. 2022

LEDbulb MAS SLR 10,5W A60 B22 927 FR-GUL

Lifetime



Life Expectancy Diagram



Lumen Maintenance Diagram

