



CoreLine Recessed – the clear choice for LED

CoreLine Recessed

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Recessed range of LED products can be used to replace functional luminaires in general lighting applications. The process of selecting, installing and maintaining is so easy – it's a simple switch. In addition, Coreline Recessed also provides the option of advanced connectivity and is ready to be connected to IoT based software applications such as Interact Pro.

Benefits

- Enables a simple switch from basic conventional fluorescent luminaires to LED luminaires
- Energy saving of over 45% compared to functional TL5 luminaires
- Slim design with a height of only 35 mm

Features

- Integrated LED technology
- Slim housing
- Surface-mounted version also available (also suitable for suspension)
- Integrated 3 hour emergency versions available
- Office compliant (UGR<19) flicker free and Non Office compliant versions available.

Application

- General lighting

CoreLine Recessed

Warnings and Safety

- The product is IPX0 and as such is not protected against water ingress, so we strongly recommend that the environment in which the luminaire is to be installed is suitably checked
- If the above advice is not taken and the luminaires are subject to water ingress, Philips/Signify cannot guarantee safe failure and product warranty will become void

Specifications

Type	RC120B
Ceiling type	Exposed T-bar ceiling
Ceiling grid	Module size in length: 300 mm x 1200 mm Module size in length: 600 mm x 600 mm
Light source	Non-replaceable LED module
Power	LED37S version: 40.5 W LED27S version: 24.5 W
Luminous flux	LED37S version: 3700 lm LED27S version: 2700 lm
Correlated Colour Temperature	4000 K
Colour Rendering Index	≥ 80
Median useful life L70B50	50,000 hours
Median useful life L80B50	30,000 hours

Median useful life L90B50	15,000 hours
Driver failure rate	1.0% per 5000 hours
Average ambient temperature	+25 °C
Operating temperature range	+10 to +40 °C
Driver	Built-in
Mains voltage	220-240 V / 50-60 Hz
Dimming	Non dimming and DALI Dimming
Material	Housing: pre-painted steel
Colour	White
Optical cover	Polycarbonate
Connection	With pull relief
Installation	Individual; lay-in in exposed ceiling grids

Versions



Coreline Recessed




Coreline Recessed

Product details



CoreLine Recessed-RC134B_plaster ceiling frame_hook-DPP.TIF



CoreLine_Recessed-RC134B_plaster_ceiling_W30L120-DPP.tif

CoreLine Recessed

Product details



CoreLine_Recessed-
RC134B_plaster_ceiling_frame_W
60L60-DPP.tif



CoreLine_Recessed-
RC134B_plaster_ceiling_W60L60-
DPP.tif



CoreLine_Recessed-
RC134B_W60L60-DPP.tif



CoreLine_Recessed-
RC134B_led_compartment-DPP.tif



CoreLine_Recessed-
RC134B_W30L120-DPP.tif



CoreLine_Recessed-
RC134B_W30L120_electr-DPP.tif



CoreLine_Recessed-
RC134B_W30L120_led_compartm
ent-DPP.tif

CoreLine Recessed

Accessories

Coreline Recessed Acc.

Ordercode 98722300



Coreline Recessed Acc.

Ordercode 98724700



Application Conditions	
Ambient temperature range	+10 to +40 °C
Suitable for random switching	Yes
Approval and Application	
Mech. impact protection code	IK02
General Information	
CE mark	CE mark
Protection class IEC	Safety class I
Driver included	Yes
ENEC mark	ENEC mark
Flammability mark	F
Glow-wire test	Temperature 850 °C, duration 30 s
Light source replaceable	No
Number of gear units	1 unit
Optic type	WB
Product family code	RC134B
Initial Performance (IEC Compliant)	
Init. Colour rendering index	≥80
Luminous flux tolerance	+/-8%
Mechanical and Housing	
Colour	White

Application Conditions

Order Code	Full Product Name	Maximum dimming level
34794900	RC134B LED37S/830 PSU W60L60 NOC	Not applicable
34795600	RC134B LED27S/830 PSU W60L60 NOC	Not applicable
34798700	RC134B LED37S/840 PSD W60L60 NOC	1%
34800700	RC134B LED37S/830 PSD W60L60 NOC	1%
34801400	RC134B LED27S/830 PSD W60L60 NOC	1%
34804500	RC134B LED37S/840 PSD W60L60 OC	1%
34810600	RC134B LED27S/840 PSD W60L60 OC	1%
34813700	RC134B LED37S/830 PSD W60L60 OC	1%
34814400	RC134B LED27S/830 PSD W60L60 OC	1%
34817500	RC134B LED37S/840 PSU W60L60 NOC	Not applicable
34819900	RC134B LED37S/840 PSU W60L60 ELB3 NOC	Not applicable
34820500	RC134B LED37S/840 PSD W60L60 ELB3 NOC	1% (no dimming in emergency mode)
34821200	RC134B LED37S/840 PSD W60L60 ELB3 OC	1% (no dimming in emergency mode)
34822900	RC134B LED27S/840 PSD W60L60 ELB3 OC	1% (no dimming in emergency mode)
34823600	RC134B LED27S/840 PSU W60L60 NOC	Not applicable
34825000	RC134B LED27S/840 PSD W60L60 NOC	1%
34828100	RC134B LED27S/840 PSD W60L60 ELB3 NOC	1% (no dimming in emergency mode)
34829800	RC134B LED37S/840 PSU W60L60 OC	Not applicable
34831100	RC134B LED37S/830 PSU W60L60 OC	Not applicable
99648500	RC134B LED37S/840 W60L60 IA1 OC	1%
99649200	RC134B LED37S/840 W60L60 IA1 NOC	1%
99650800	RC134B LED37S/830 W60L60 IA1 NOC	1%
99651500	RC134B LED37S/830 W60L60 IA1 OC	1%
99658400	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	1%
99659100	RC134B LED37S/840 W60L60 ELB3 IA1 OC	1%
34796300	RC134B LED37S/830 PSU W30L120 NOC	Not applicable
34797000	RC134B LED27S/830 PSU W30L120 NOC	Not applicable
34799400	RC134B LED37S/840 PSD W30L120 NOC	1%
34802100	RC134B LED37S/830 PSD W30L120 NOC	1%
34803800	RC134B LED27S/830 PSD W30L120 NOC	1%
34811300	RC134B LED37S/840 PSD W30L120 OC	1%
34812000	RC134B LED27S/840 PSD W30L120 OC	1%
34815100	RC134B LED37S/830 PSD W30L120 OC	1%
34816800	RC134B LED27S/830 PSD W30L120 OC	1%
34818200	RC134B LED37S/840 PSU W30L120 NOC	Not applicable
34824300	RC134B LED27S/840 PSU W30L120 NOC	Not applicable
34826700	RC134B LED27S/840 PSD W30L120 NOC	1%

Order Code	Full Product Name	Maximum dimming level
34830400	RC134B LED37S/840 PSU W30L120 OC	Not applicable
34832800	RC134B LED37S/830 PSU W30L120 OC	Not applicable
34833500	RC134B LED27S/840 PSU W30L120 ELB3 NOC	Not applicable
34834200	RC134B LED37S/840 PSU W30L120 ELB3 NOC	Not applicable
34835900	RC134B LED27S/840 PSD W30L120 ELB3 NOC	1% (no dimming in emergency mode)
34836600	RC134B LED37S/840 PSD W30L120 ELB3 NOC	1% (no dimming in emergency mode)
34837300	RC134B LED27S/840 PSD W30L120 ELB3 OC	1% (no dimming in emergency mode)
34838000	RC134B LED37S/840 PSD W30L120 ELB3 OC	1% (no dimming in emergency mode)
34839700	RC134B LED27S/830 PSU W30L120 ELB3 NOC	Not applicable
34840300	RC134B LED37S/830 PSU W30L120 ELB3 NOC	Not applicable
34841000	RC134B LED27S/830 PSD W30L120 ELB3 NOC	1% (no dimming in emergency mode)
34842700	RC134B LED37S/830 PSD W30L120 ELB3 NOC	1% (no dimming in emergency mode)
34843400	RC134B LED37S/830 PSD W30L120 ELB3 OC	1% (no dimming in emergency mode)
99653900	RC134B LED37S/840 W30L120 IA1 NOC	1%
99654600	RC134B LED37S/840 W30L120 IA1 OC	1%
99656000	RC134B LED37S/830 W30L120 IA1 OC	1%
99657700	RC134B LED37S/830 W30L120 IA1 NOC	1%
99660700	RC134B LED37S/840 W30L120 ELB3 IA1 OC	1%
99661400	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	1%

Approval and Application

Order Code	Full Product Name	Ingress protection code	Order Code	Full Product Name	Ingress protection code
34794900	RC134B LED37S/830 PSU W60L60 NOC	IP44	34802100	RC134B LED37S/830 PSD W30L120 NOC	IP44
34795600	RC134B LED27S/830 PSU W60L60 NOC	IP44	34803800	RC134B LED27S/830 PSD W30L120 NOC	IP44
34798700	RC134B LED37S/840 PSD W60L60 NOC	IP44	34811300	RC134B LED37S/840 PSD W30L120 OC	IP44
34800700	RC134B LED37S/830 PSD W60L60 NOC	IP44	34812000	RC134B LED27S/840 PSD W30L120 OC	IP44
34801400	RC134B LED27S/830 PSD W60L60 NOC	IP44	34815100	RC134B LED37S/830 PSD W30L120 OC	IP44
34804500	RC134B LED37S/840 PSD W60L60 OC	IP44	34816800	RC134B LED27S/830 PSD W30L120 OC	IP44
34810600	RC134B LED27S/840 PSD W60L60 OC	IP44	34818200	RC134B LED37S/840 PSU W30L120 NOC	IP44
34813700	RC134B LED37S/830 PSD W60L60 OC	IP44	34824300	RC134B LED27S/840 PSU W30L120 NOC	IP44
34814400	RC134B LED27S/830 PSD W60L60 OC	IP44	34826700	RC134B LED27S/840 PSD W30L120 NOC	IP44
34817500	RC134B LED37S/840 PSU W60L60 NOC	IP44	34830400	RC134B LED37S/840 PSU W30L120 OC	IP44
34819900	RC134B LED37S/840 PSU W60L60 ELB3 NOC	IP44	34832800	RC134B LED37S/830 PSU W30L120 OC	IP44
34820500	RC134B LED37S/840 PSD W60L60 ELB3 NOC	IP44	34833500	RC134B LED27S/840 PSU W30L120 ELB3 NOC	IP44
34821200	RC134B LED37S/840 PSD W60L60 ELB3 OC	IP44	34834200	RC134B LED37S/840 PSU W30L120 ELB3 NOC	IP44
34822900	RC134B LED27S/840 PSD W60L60 ELB3 OC	IP44	34835900	RC134B LED27S/840 PSD W30L120 ELB3 NOC	IP44
34823600	RC134B LED27S/840 PSU W60L60 NOC	IP44	34836600	RC134B LED37S/840 PSD W30L120 ELB3 NOC	IP44
34825000	RC134B LED27S/840 PSD W60L60 NOC	IP44	34837300	RC134B LED27S/840 PSD W30L120 ELB3 OC	IP44
34828100	RC134B LED27S/840 PSD W60L60 ELB3 NOC	IP44	34838000	RC134B LED37S/840 PSD W30L120 ELB3 OC	IP44
34829800	RC134B LED37S/840 PSU W60L60 OC	IP44	34839700	RC134B LED27S/830 PSU W30L120 ELB3 NOC	IP44
34831100	RC134B LED37S/830 PSU W60L60 OC	IP44	34840300	RC134B LED37S/830 PSU W30L120 ELB3 NOC	IP44
99648500	RC134B LED37S/840 W60L60 IA1 OC	IP20/44	34841000	RC134B LED27S/830 PSD W30L120 ELB3 NOC	IP44
99649200	RC134B LED37S/840 W60L60 IA1 NOC	IP20/44	34842700	RC134B LED37S/830 PSD W30L120 ELB3 NOC	IP44
99650800	RC134B LED37S/830 W60L60 IA1 NOC	IP20/44	34843400	RC134B LED37S/830 PSD W30L120 ELB3 OC	IP44
99651500	RC134B LED37S/830 W60L60 IA1 OC	IP20/44	99653900	RC134B LED37S/840 W30L120 IA1 NOC	IP20/44
99658400	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	IP20/44	99654600	RC134B LED37S/840 W30L120 IA1 OC	IP20/44
99659100	RC134B LED37S/840 W60L60 ELB3 IA1 OC	IP20/44	99656000	RC134B LED37S/830 W30L120 IA1 OC	IP20/44
34796300	RC134B LED37S/830 PSU W30L120 NOC	IP44	99657700	RC134B LED37S/830 W30L120 IA1 NOC	IP20/44
34797000	RC134B LED27S/830 PSU W30L120 NOC	IP44	99660700	RC134B LED37S/840 W30L120 ELB3 IA1 OC	IP20/44
34799400	RC134B LED37S/840 PSD W30L120 NOC	IP44	99661400	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	IP20/44

CoreLine Recessed

Controls and Dimming

Order Code	Full Product Name	Dimmable
34794900	RC134B LED375/830 PSU W60L60 NOC	No
34795600	RC134B LED275/830 PSU W60L60 NOC	No
34798700	RC134B LED375/840 PSD W60L60 NOC	Yes
34800700	RC134B LED375/830 PSD W60L60 NOC	Yes
34801400	RC134B LED275/830 PSD W60L60 NOC	Yes
34804500	RC134B LED375/840 PSD W60L60 OC	Yes
34810600	RC134B LED275/840 PSD W60L60 OC	Yes
34813700	RC134B LED375/830 PSD W60L60 OC	Yes
34814400	RC134B LED275/830 PSD W60L60 OC	Yes
34817500	RC134B LED375/840 PSU W60L60 NOC	No
34819900	RC134B LED375/840 PSU W60L60 ELB3 NOC	No
34820500	RC134B LED375/840 PSD W60L60 ELB3 NOC	Yes
34821200	RC134B LED375/840 PSD W60L60 ELB3 OC	Yes
34822900	RC134B LED275/840 PSD W60L60 ELB3 OC	Yes
34823600	RC134B LED275/840 PSU W60L60 NOC	No
34825000	RC134B LED275/840 PSD W60L60 NOC	Yes
34828100	RC134B LED275/840 PSD W60L60 ELB3 NOC	Yes
34829800	RC134B LED375/840 PSU W60L60 OC	No
34831100	RC134B LED375/830 PSU W60L60 OC	No
99648500	RC134B LED375/840 W60L60 IA1 OC	Wireless Dim
99649200	RC134B LED375/840 W60L60 IA1 NOC	Wireless Dim
99650800	RC134B LED375/830 W60L60 IA1 NOC	Wireless Dim
99651500	RC134B LED375/830 W60L60 IA1 OC	Wireless Dim
99658400	RC134B LED375/840 W60L60 ELB3 IA1 NOC	Wireless Dim
99659100	RC134B LED375/840 W60L60 ELB3 IA1 OC	Wireless Dim
34796300	RC134B LED375/830 PSU W30L120 NOC	No
34797000	RC134B LED275/830 PSU W30L120 NOC	No
34799400	RC134B LED375/840 PSD W30L120 NOC	Yes

Order Code	Full Product Name	Dimmable
34802100	RC134B LED375/830 PSD W30L120 NOC	Yes
34803800	RC134B LED275/830 PSD W30L120 NOC	Yes
34811300	RC134B LED375/840 PSD W30L120 OC	Yes
34812000	RC134B LED275/840 PSD W30L120 OC	Yes
34815100	RC134B LED375/830 PSD W30L120 OC	Yes
34816800	RC134B LED275/830 PSD W30L120 OC	Yes
34818200	RC134B LED375/840 PSU W30L120 NOC	No
34824300	RC134B LED275/840 PSU W30L120 NOC	No
34826700	RC134B LED275/840 PSD W30L120 NOC	Yes
34830400	RC134B LED375/840 PSU W30L120 OC	No
34832800	RC134B LED375/830 PSU W30L120 OC	No
34833500	RC134B LED275/840 PSU W30L120 ELB3 NOC	No
34834200	RC134B LED375/840 PSU W30L120 ELB3 NOC	No
34835900	RC134B LED275/840 PSD W30L120 ELB3 NOC	Yes
34836600	RC134B LED375/840 PSD W30L120 ELB3 NOC	Yes
34837300	RC134B LED275/840 PSD W30L120 ELB3 OC	Yes
34838000	RC134B LED375/840 PSD W30L120 ELB3 OC	Yes
34839700	RC134B LED275/830 PSU W30L120 ELB3 NOC	No
34840300	RC134B LED375/830 PSU W30L120 ELB3 NOC	No
34841000	RC134B LED275/830 PSD W30L120 ELB3 NOC	Yes
34842700	RC134B LED375/830 PSD W30L120 ELB3 NOC	Yes
34843400	RC134B LED375/830 PSD W30L120 ELB3 OC	Yes
99653900	RC134B LED375/840 W30L120 IA1 NOC	Wireless Dim
99654600	RC134B LED375/840 W30L120 IA1 OC	Wireless Dim
99656000	RC134B LED375/830 W30L120 IA1 OC	Wireless Dim
99657700	RC134B LED375/830 W30L120 IA1 NOC	Wireless Dim
99660700	RC134B LED375/840 W30L120 ELB3 IA1 OC	Wireless Dim
99661400	RC134B LED375/840 W30L120 ELB3 IA1 NOC	Wireless Dim

Operating and Electrical

Order Code	Full Product Name	Input Voltage
34794900	RC134B LED375/830 PSU W60L60 NOC	220 to 240 V
34795600	RC134B LED275/830 PSU W60L60 NOC	220 to 240 V
34798700	RC134B LED375/840 PSD W60L60 NOC	220 to 240 V
34800700	RC134B LED375/830 PSD W60L60 NOC	220 to 240 V
34801400	RC134B LED275/830 PSD W60L60 NOC	220 to 240 V
34804500	RC134B LED375/840 PSD W60L60 OC	220 to 240 V
34810600	RC134B LED275/840 PSD W60L60 OC	220 to 240 V
34813700	RC134B LED375/830 PSD W60L60 OC	220 to 240 V
34814400	RC134B LED275/830 PSD W60L60 OC	220 to 240 V
34817500	RC134B LED375/840 PSU W60L60 NOC	220 to 240 V
34819900	RC134B LED375/840 PSU W60L60 ELB3 NOC	220 to 240 V
34820500	RC134B LED375/840 PSD W60L60 ELB3 NOC	220 to 240 V
34821200	RC134B LED375/840 PSD W60L60 ELB3 OC	220 to 240 V
34822900	RC134B LED275/840 PSD W60L60 ELB3 OC	220 to 240 V
34823600	RC134B LED275/840 PSU W60L60 NOC	220 to 240 V
34825000	RC134B LED275/840 PSD W60L60 NOC	220 to 240 V
34828100	RC134B LED275/840 PSD W60L60 ELB3 NOC	220 to 240 V
34829800	RC134B LED375/840 PSU W60L60 OC	220 to 240 V

Order Code	Full Product Name	Input Voltage
34831100	RC134B LED375/830 PSU W60L60 OC	220 to 240 V
99648500	RC134B LED375/840 W60L60 IA1 OC	220-240 V
99649200	RC134B LED375/840 W60L60 IA1 NOC	220-240 V
99650800	RC134B LED375/830 W60L60 IA1 NOC	220-240 V
99651500	RC134B LED375/830 W60L60 IA1 OC	220-240 V
99658400	RC134B LED375/840 W60L60 ELB3 IA1 NOC	220-240 V
99659100	RC134B LED375/840 W60L60 ELB3 IA1 OC	220-240 V
34796300	RC134B LED375/830 PSU W30L120 NOC	220 to 240 V
34797000	RC134B LED275/830 PSU W30L120 NOC	220 to 240 V
34799400	RC134B LED375/840 PSD W30L120 NOC	220 to 240 V
34802100	RC134B LED375/830 PSD W30L120 NOC	220 to 240 V
34803800	RC134B LED275/830 PSD W30L120 NOC	220 to 240 V
34811300	RC134B LED375/840 PSD W30L120 OC	220 to 240 V
34812000	RC134B LED275/840 PSD W30L120 OC	220 to 240 V
34815100	RC134B LED375/830 PSD W30L120 OC	220 to 240 V
34816800	RC134B LED275/830 PSD W30L120 OC	220 to 240 V
34818200	RC134B LED375/840 PSU W30L120 NOC	220 to 240 V
34824300	RC134B LED275/840 PSU W30L120 NOC	220 to 240 V

CoreLine Recessed

Order Code	Full Product Name	Input Voltage
34826700	RC134B LED27S/840 PSD W30L120 NOC	220 to 240 V
34830400	RC134B LED37S/840 PSU W30L120 OC	220 to 240 V
34832800	RC134B LED37S/830 PSU W30L120 OC	220 to 240 V
34833500	RC134B LED27S/840 PSU W30L120 ELB3 NOC	220 to 240 V
34834200	RC134B LED37S/840 PSU W30L120 ELB3 NOC	220 to 240 V
34835900	RC134B LED27S/840 PSD W30L120 ELB3 NOC	220 to 240 V
34836600	RC134B LED37S/840 PSD W30L120 ELB3 NOC	220 to 240 V
34837300	RC134B LED27S/840 PSD W30L120 ELB3 OC	220 to 240 V
34838000	RC134B LED37S/840 PSD W30L120 ELB3 OC	220 to 240 V
34839700	RC134B LED27S/830 PSU W30L120 ELB3 NOC	220 to 240 V

Order Code	Full Product Name	Input Voltage
34840300	RC134B LED37S/830 PSU W30L120 ELB3 NOC	220 to 240 V
34841000	RC134B LED27S/830 PSD W30L120 ELB3 NOC	220 to 240 V
34842700	RC134B LED37S/830 PSD W30L120 ELB3 NOC	220 to 240 V
34843400	RC134B LED37S/830 PSD W30L120 ELB3 OC	220 to 240 V
99653900	RC134B LED37S/840 W30L120 IA1 NOC	220-240 V
99654600	RC134B LED37S/840 W30L120 IA1 OC	220-240 V
99656000	RC134B LED37S/830 W30L120 IA1 OC	220-240 V
99657700	RC134B LED37S/830 W30L120 IA1 NOC	220-240 V
99660700	RC134B LED37S/840 W30L120 ELB3 IA1 OC	220-240 V
99661400	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	220-240 V

Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34794900	RC134B LED37S/830 PSU W60L60 NOC	(0.43, 0.40) SDCM <3	3000 K	109 lm/W	3700 lm
34795600	RC134B LED27S/830 PSU W60L60 NOC	(0.43, 0.40) SDCM <3	3000 K	95 lm/W	2700 lm
34798700	RC134B LED37S/840 PSD W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	3700 lm
34800700	RC134B LED37S/830 PSD W60L60 NOC	(0.43, 0.40) SDCM <3	3000 K	104 lm/W	3700 lm
34801400	RC134B LED27S/830 PSD W60L60 NOC	(0.43, 0.40) SDCM <3	3000 K	89 lm/W	2700 lm
34804500	RC134B LED37S/840 PSD W60L60 OC	(0.38, 0.38) SDCM <3	4000 K	117 lm/W	3700 lm
34810600	RC134B LED27S/840 PSD W60L60 OC	(0.38, 0.38) SDCM <3	4000 K	123 lm/W	2700 lm
34813700	RC134B LED37S/830 PSD W60L60 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	3700 lm
34814400	RC134B LED27S/830 PSD W60L60 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	2700 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34817500	RC134B LED37S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	109 lm/W	3700 lm
34819900	RC134B LED37S/840 PSU W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	97 lm/W	3700 lm
34820500	RC134B LED37S/840 PSD W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	95 lm/W	3700 lm
34821200	RC134B LED37S/840 PSD W60L60 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	3700 lm
34822900	RC134B LED27S/840 PSD W60L60 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	2700 lm
34823600	RC134B LED27S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	100 lm/W	2700 lm
34825000	RC134B LED27S/840 PSD W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	102 lm/W	2700 lm
34828100	RC134B LED27S/840 PSD W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34829800	RC134B LED37S/840 PSU W60L60 OC	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3700 lm

CoreLine Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34831100	RC134B LED37S/830 PSU W60L60 OC	(0.43, 0.40) SDCM <3	3000 K	107 lm/W	3700 lm
99648500	RC134B LED37S/840 W60L60 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99649200	RC134B LED37S/840 W60L60 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99650800	RC134B LED37S/830 W60L60 IA1 NOC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99651500	RC134B LED37S/830 W60L60 IA1 OC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99658400	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
99659100	RC134B LED37S/840 W60L60 ELB3 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
34796300	RC134B LED37S/830 PSU W30L120 NOC	(0.43, 0.40) SDCM <3	3000 K	109 lm/W	3700 lm
34797000	RC134B LED27S/830 PSU W30L120 NOC	(0.43, 0.40) SDCM <3	3000 K	95 lm/W	2700 lm
34799400	RC134B LED37S/840 PSD W30L120 NOC	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	3700 lm
34802100	RC134B LED37S/830 PSD W30L120 NOC	(0.43, 0.40) SDCM <3	3000 K	104 lm/W	3700 lm
34803800	RC134B LED27S/830 PSD W30L120 NOC	(0.43, 0.40) SDCM <3	3000 K	89 lm/W	2700 lm
34811300	RC134B LED37S/840	(0.38, 0.38) SDCM <3	4000 K	117 lm/W	3700 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD W30L120 OC				
34812000	RC134B LED27S/840 PSD W30L120 OC	(0.38, 0.38) SDCM <3	4000 K	123 lm/W	2700 lm
34815100	RC134B LED37S/830 PSD W30L120 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	3700 lm
34816800	RC134B LED27S/830 PSD W30L120 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	2700 lm
34818200	RC134B LED37S/840 PSU W30L120 NOC	(0.38, 0.38) SDCM <3	4000 K	109 lm/W	3700 lm
34824300	RC134B LED27S/840 PSU W30L120 NOC	(0.38, 0.38) SDCM <3	4000 K	100 lm/W	2700 lm
34826700	RC134B LED27S/840 PSD W30L120 NOC	(0.38, 0.38) SDCM <3	4000 K	102 lm/W	2700 lm
34830400	RC134B LED37S/840 PSU W30L120 OC	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3700 lm
34832800	RC134B LED37S/830 PSU W30L120 OC	(0.43, 0.40) SDCM <3	3000 K	107 lm/W	3700 lm
34833500	RC134B LED27S/840 PSU W30L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34834200	RC134B LED37S/840 PSU W30L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	97 lm/W	3700 lm
34835900	RC134B LED27S/840 PSD W30L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34836600	RC134B LED37S/840 PSD W30L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	3700 lm

CoreLine Recessed

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34837300	RC134B LED27S/840 PSD W30L120 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	2700 lm
34838000	RC134B LED37S/840 PSD W30L120 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	3700 lm
34839700	RC134B LED27S/830 PSU W30L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	84 lm/W	2700 lm
34840300	RC134B LED37S/830 PSU W30L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	97 lm/W	3700 lm
34841000	RC134B LED27S/830 PSD W30L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	79 lm/W	2700 lm
34842700	RC134B LED37S/830 PSD W30L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	95 lm/W	3700 lm
34843400	RC134B LED37S/830 PSD W30L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	106 lm/W	3700 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD W30L120 ELB3 OC				
99653900	RC134B LED37S/840 W30L120 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99654600	RC134B LED37S/840 W30L120 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99656000	RC134B LED37S/830 W30L120 IA1 OC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99657700	RC134B LED37S/830 W30L120 IA1 NOC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99660700	RC134B LED37S/840 W30L120 ELB3 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
99661400	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm

Initial Performance (IEC Compliant) (2/2)

Order Code	Full Product Name	Initial input power
34794900	RC134B LED37S/830 PSU W60L60 NOC	34 W
34795600	RC134B LED27S/830 PSU W60L60 NOC	28.5 W
34798700	RC134B LED37S/840 PSD W60L60 NOC	35.5 W
34800700	RC134B LED37S/830 PSD W60L60 NOC	35.5 W
34801400	RC134B LED27S/830 PSD W60L60 NOC	30.5 W
34804500	RC134B LED37S/840 PSD W60L60 OC	31.5 W
34810600	RC134B LED27S/840 PSD W60L60 OC	22 W
34813700	RC134B LED37S/830 PSD W60L60 OC	31.5 W
34814400	RC134B LED27S/830 PSD W60L60 OC	23 W
34817500	RC134B LED37S/840 PSU W60L60 NOC	34 W
34819900	RC134B LED37S/840 PSU W60L60 ELB3 NOC	38 W
34820500	RC134B LED37S/840 PSD W60L60 ELB3 NOC	39 W
34821200	RC134B LED37S/840 PSD W60L60 ELB3 OC	35 W
34822900	RC134B LED27S/840 PSD W60L60 ELB3 OC	25.5 W
34823600	RC134B LED27S/840 PSU W60L60 NOC	27 W
34825000	RC134B LED27S/840 PSD W60L60 NOC	26.5 W
34828100	RC134B LED27S/840 PSD W60L60 ELB3 NOC	30.5 W
34829800	RC134B LED37S/840 PSU W60L60 OC	30.5 W
34831100	RC134B LED37S/830 PSU W60L60 OC	34.5 W
99648500	RC134B LED37S/840 W60L60 IA1 OC	35.4 W

Order Code	Full Product Name	Initial input power
99649200	RC134B LED37S/840 W60L60 IA1 NOC	35.4 W
99650800	RC134B LED37S/830 W60L60 IA1 NOC	35.4 W
99651500	RC134B LED37S/830 W60L60 IA1 OC	35.4 W
99658400	RC134B LED37S/840 W60L60 ELB3 IA1 NOC	39.3 W
99659100	RC134B LED37S/840 W60L60 ELB3 IA1 OC	39.3 W
34796300	RC134B LED37S/830 PSU W30L120 NOC	34 W
34797000	RC134B LED27S/830 PSU W30L120 NOC	28.5 W
34799400	RC134B LED37S/840 PSD W30L120 NOC	35.5 W
34802100	RC134B LED37S/830 PSD W30L120 NOC	35.5 W
34803800	RC134B LED27S/830 PSD W30L120 NOC	30.5 W
34811300	RC134B LED37S/840 PSD W30L120 OC	31.5 W
34812000	RC134B LED27S/840 PSD W30L120 OC	22 W
34815100	RC134B LED37S/830 PSD W30L120 OC	31.5 W
34816800	RC134B LED27S/830 PSD W30L120 OC	23 W
34818200	RC134B LED37S/840 PSU W30L120 NOC	34 W
34824300	RC134B LED27S/840 PSU W30L120 NOC	27 W
34826700	RC134B LED27S/840 PSD W30L120 NOC	26.5 W
34830400	RC134B LED37S/840 PSU W30L120 OC	30.5 W
34832800	RC134B LED37S/830 PSU W30L120 OC	34.5 W
34833500	RC134B LED27S/840 PSU W30L120 ELB3 NOC	30.5 W

CoreLine Recessed

Order Code	Full Product Name	Initial input power
34834200	RC134B LED37S/840 PSU W30L120 ELB3 NOC	38 W
34835900	RC134B LED27S/840 PSD W30L120 ELB3 NOC	30.5 W
34836600	RC134B LED37S/840 PSD W30L120 ELB3 NOC	35.5 W
34837300	RC134B LED27S/840 PSD W30L120 ELB3 OC	25.5 W
34838000	RC134B LED37S/840 PSD W30L120 ELB3 OC	35 W
34839700	RC134B LED27S/830 PSU W30L120 ELB3 NOC	32 W
34840300	RC134B LED37S/830 PSU W30L120 ELB3 NOC	38 W
34841000	RC134B LED27S/830 PSD W30L120 ELB3 NOC	34 W

Order Code	Full Product Name	Initial input power
34842700	RC134B LED37S/830 PSD W30L120 ELB3 NOC	39 W
34843400	RC134B LED37S/830 PSD W30L120 ELB3 OC	35 W
99653900	RC134B LED37S/840 W30L120 IA1 NOC	35.4 W
99654600	RC134B LED37S/840 W30L120 IA1 OC	35.4 W
99656000	RC134B LED37S/830 W30L120 IA1 OC	35.4 W
99657700	RC134B LED37S/830 W30L120 IA1 NOC	35.4 W
99660700	RC134B LED37S/840 W30L120 ELB3 IA1 OC	39.3 W
99661400	RC134B LED37S/840 W30L120 ELB3 IA1 NOC	39.3 W

