



# CoreLine Surface-mounted – the clear choice for LED

## CoreLine Surface-mounted

Whether for a new building or renovation of an existing space, customers want lighting solutions that provide quality of light and substantial energy and maintenance savings. The new CoreLine Surface-mounted range of LED products can be used to replace functional luminaires in general lighting applications. The process of selecting, installing and maintaining is so easy – it's a simple switch. Coreline Surface Mounted also provides the option of advanced connectivity and is ready to be connected to IoT based software applications such as Interact Pro.

### Benefits

- Enables a simple switch from basic conventional luminaires to LED luminaires
- Energy saving of up to 45% compared to functional TL-D luminaires
- Slim design with a height of less than 40 mm

### Features

- Integrated LED technology
- Slim housing
- Suspension set available as an accessory
- Recessed version also available for use in grid ceilings
- 3 hour Emergency version available
- Office compliant (UGR<19) flicker free and Non Office compliant versions available.

### Application

- General lighting

### Specifications

## CoreLine Surface-mounted

<b>Ambient Temperature</b>	+10 to +40 °C
<b>Main colour of the luminaire</b>	White
<b>Dimming</b>	No, wireless Dim, yes
<b>Driver</b>	Power supply unit with DALI interface (PSD) Power supply unit regulating external (PSR) (PSR-E) Power supply unit (PSU)
<b>Driver failure rate at 5,000 h in %</b>	1%

<b>Initial correlated colour temperature</b>	3000 K, 4000 K
<b>Initial input power</b>	22 W, 23 W, 25.5 W, 26.5 W, 27 W, 28.5 W, 30.5 W, 31.5 W, 32 W, 34 W, 34.5 W, 35 W, 35.4 W, 35.5 W, 38 W, 39 W, 39.3 W
<b>Initial luminous flux</b>	2700, 3700 lm
<b>Input frequency</b>	50 to 60 Hz
<b>Input voltage</b>	220 to 240, 220-240 V
<b>Type</b>	SM134V

### Versions



Coreline Surface



Coreline Surface

### Product details



CoreLine\_Surface\_mounted-SM134V\_suspended\_W60L60-DPP.tif



CoreLine\_Surface\_mounted-SM134V\_W60L60-DPP.tif



CoreLine\_Surface\_mounted-SM134V\_suspended\_W20L120-DPP.tif



CoreLine\_Surface\_mounted-SM134V\_W20L120-DPP.tif

# CoreLine Surface-mounted

## Accessories



Suspension set

Ordercode 910925864854,  
910925864856



Coreline Surface Acc.

Ordercode 34896000

### Application Conditions

Ambient temperature range	+10 to +40 °C
Suitable for random switching	Yes

### Approval and Application

Mech. impact protection code	IK02
Ingress protection code	IP20

### General Information

CE mark	CE mark
Protection class IEC	Safety class I
Driver included	Yes
ENEC mark	ENEC mark
Flammability mark	F
Glow-wire test	Temperature 850 °C, duration 30 s
Light source replaceable	No
Number of gear units	1 unit
Optic type	WB
Product Family Code	SM134V

### Initial Performance (IEC Compliant)

Init. Colour rendering index	≥80
Luminous flux tolerance	+/-8%

### Mechanical and Housing

Colour	White
--------	-------

### Application Conditions

Order Code	Full Product Name	Maximum dimming level
34851900	SM134V LED37S/830 PSU W60L60 NOC	Not applicable
34852600	SM134V LED27S/830 PSU W60L60 NOC	Not applicable
34855700	SM134V LED37S/840 PSD W60L60 NOC	1%
34857100	SM134V LED37S/830 PSD W60L60 NOC	1%
34858800	SM134V LED27S/830 PSD W60L60 NOC	1%
34861800	SM134V LED37S/840 PSD W60L60 OC	1%
34862500	SM134V LED27S/840 PSD W60L60 OC	1%
34865600	SM134V LED37S/830 PSD W60L60 OC	1%
34866300	SM134V LED27S/830 PSD W60L60 OC	1%
34869400	SM134V LED37S/840 PSU W60L60 NOC	Not applicable
34871700	SM134V LED37S/840 PSU W60L60 ELB3 NOC	Not applicable
34872400	SM134V LED37S/840 PSD W60L60 ELB3 NOC	1% (no dimming in emergency mode)
34873100	SM134V LED37S/840 PSD W60L60 ELB3 OC	1% (no dimming in emergency mode)
34874800	SM134V LED27S/840 PSD W60L60 ELB3 OC	1% (no dimming in emergency mode)
34875500	SM134V LED27S/840 PSU W60L60 NOC	Not applicable
34877900	SM134V LED27S/840 PSD W60L60 NOC	1%
34879300	SM134V LED27S/840 PSU W60L60 ELB3 NOC	Not applicable
34880900	SM134V LED27S/840 PSD W60L60 ELB3 NOC	1% (no dimming in emergency mode)
34881600	SM134V LED37S/840 PSU W60L60 OC	Not applicable
34883000	SM134V LED37S/830 PSU W60L60 OC	Not applicable
99665200	SM134V LED37S/840 W60L60 IA1 NOC	1%
99667600	SM134V LED37S/840 W60L60 IA1 OC	1%
99668300	SM134V LED37S/830 W60L60 IA1 NOC	1%
99669000	SM134V LED37S/830 W60L60 IA1 OC	1%
99672000	SM134V LED37S/840 W60L60 ELB3 IA1 NOC	1%
99673700	SM134V LED37S/840 W60L60 ELB3 IA1 OC	1%
34853300	SM134V LED37S/830 PSU W20L120 NOC	Not applicable
34854000	SM134V LED27S/830 PSU W20L120 NOC	Not applicable
34856400	SM134V LED37S/840 PSD W20L120 NOC	1%
34859500	SM134V LED37S/830 PSD W20L120 NOC	1%
34860100	SM134V LED27S/830 PSD W20L120 NOC	1%
34863200	SM134V LED37S/840 PSD W20L120 OC	1%
34864900	SM134V LED27S/840 PSD W20L120 OC	1%
34867000	SM134V LED37S/830 PSD W20L120 OC	1%
34868700	SM134V LED27S/830 PSD W20L120 OC	1%
34870000	SM134V LED37S/840 PSU W20L120 NOC	Not applicable
34876200	SM134V LED27S/840 PSU W20L120 NOC	Not applicable

## CoreLine Surface-mounted

Order Code	Full Product Name	Maximum dimming level
34878600	SM134V LED27S/840 PSD W20L120 NOC	1%
34882300	SM134V LED37S/840 PSU W20L120 OC	Not applicable
34884700	SM134V LED37S/830 PSU W20L120 OC	Not applicable
34885400	SM134V LED27S/840 PSU W20L120 ELB3 NOC	Not applicable
34886100	SM134V LED37S/840 PSU W20L120 ELB3 NOC	Not applicable
34887800	SM134V LED27S/840 PSD W20L120 ELB3 NOC	1% (no dimming in emergency mode)
34888500	SM134V LED37S/840 PSD W20L120 ELB3 NOC	1% (no dimming in emergency mode)
34889200	SM134V LED27S/840 PSD W20L120 ELB3 OC	1% (no dimming in emergency mode)
34890800	SM134V LED37S/840 PSD W20L120 ELB3 OC	1% (no dimming in emergency mode)
34891500	SM134V LED27S/830 PSU W20L120 ELB3 NOC	Not applicable
34892200	SM134V LED37S/830 PSU W20L120 ELB3 NOC	Not applicable
34893900	SM134V LED27S/830 PSD W20L120 ELB3 NOC	1% (no dimming in emergency mode)
34894600	SM134V LED37S/830 PSD W20L120 ELB3 NOC	1% (no dimming in emergency mode)
99662100	SM134V LED37S/840 W20L120 IA1 NOC	1%
99663800	SM134V LED37S/840 W20L120 IA1 OC	1%
99664500	SM134V LED37S/830 W20L120 IA1 NOC	1%
99666900	SM134V LED37S/830 W20L120 IA1 OC	1%
99670600	SM134V LED37S/840 W20L120 ELB3 IA1 OC	1%
99671300	SM134V LED37S/840 W20L120 ELB3 IA1 NOC	1%

### Controls and Dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
34851900	SM134V LED37S/830 PSU W60L60 NOC	No	34856400	SM134V LED37S/840 PSD W20L120 NOC	Yes
34852600	SM134V LED27S/830 PSU W60L60 NOC	No	34859500	SM134V LED37S/830 PSD W20L120 NOC	Yes
34855700	SM134V LED37S/840 PSD W60L60 NOC	Yes	34860100	SM134V LED27S/830 PSD W20L120 NOC	Yes
34857100	SM134V LED37S/830 PSD W60L60 NOC	Yes	34863200	SM134V LED37S/840 PSD W20L120 OC	Yes
34858800	SM134V LED27S/830 PSD W60L60 NOC	Yes	34864900	SM134V LED27S/840 PSD W20L120 OC	Yes
34861800	SM134V LED37S/840 PSD W60L60 OC	Yes	34867000	SM134V LED37S/830 PSD W20L120 OC	Yes
34862500	SM134V LED27S/840 PSD W60L60 OC	Yes	34868700	SM134V LED27S/830 PSD W20L120 OC	Yes
34865600	SM134V LED37S/830 PSD W60L60 OC	Yes	34870000	SM134V LED37S/840 PSU W20L120 NOC	No
34866300	SM134V LED27S/830 PSD W60L60 OC	Yes	34876200	SM134V LED27S/840 PSU W20L120 NOC	No
34869400	SM134V LED37S/840 PSU W60L60 NOC	No	34878600	SM134V LED27S/840 PSD W20L120 NOC	Yes
34871700	SM134V LED37S/840 PSU W60L60 ELB3 NOC	No	34882300	SM134V LED37S/840 PSU W20L120 OC	No
34872400	SM134V LED37S/840 PSD W60L60 ELB3 NOC	Yes	34884700	SM134V LED37S/830 PSU W20L120 OC	No
34873100	SM134V LED37S/840 PSD W60L60 ELB3 OC	Yes	34885400	SM134V LED27S/840 PSU W20L120 ELB3 NOC	No
34874800	SM134V LED27S/840 PSD W60L60 ELB3 OC	Yes	34886100	SM134V LED37S/840 PSU W20L120 ELB3 NOC	No
34875500	SM134V LED27S/840 PSU W60L60 NOC	No	34887800	SM134V LED27S/840 PSD W20L120 ELB3 NOC	Yes
34877900	SM134V LED27S/840 PSD W60L60 NOC	Yes	34888500	SM134V LED37S/840 PSD W20L120 ELB3 NOC	Yes
34879300	SM134V LED27S/840 PSU W60L60 ELB3 NOC	No	34889200	SM134V LED27S/840 PSD W20L120 ELB3 OC	Yes
34880900	SM134V LED27S/840 PSD W60L60 ELB3 NOC	Yes	34890800	SM134V LED37S/840 PSD W20L120 ELB3 OC	Yes
34881600	SM134V LED37S/840 PSU W60L60 OC	No	34891500	SM134V LED27S/830 PSU W20L120 ELB3 NOC	No
34883000	SM134V LED37S/830 PSU W60L60 OC	No	34892200	SM134V LED37S/830 PSU W20L120 ELB3 NOC	No
99665200	SM134V LED37S/840 W60L60 IA1 NOC	Wireless Dim	34893900	SM134V LED27S/830 PSD W20L120 ELB3 NOC	Yes
99667600	SM134V LED37S/840 W60L60 IA1 OC	Wireless Dim	34894600	SM134V LED37S/830 PSD W20L120 ELB3 NOC	Yes
99668300	SM134V LED37S/830 W60L60 IA1 NOC	Wireless Dim	99662100	SM134V LED37S/840 W20L120 IA1 NOC	Wireless Dim
99669000	SM134V LED37S/830 W60L60 IA1 OC	Wireless Dim	99663800	SM134V LED37S/840 W20L120 IA1 OC	Wireless Dim
99672000	SM134V LED37S/840 W60L60 ELB3 IA1 NOC	Wireless Dim	99664500	SM134V LED37S/830 W20L120 IA1 NOC	Wireless Dim
99673700	SM134V LED37S/840 W60L60 ELB3 IA1 OC	Wireless Dim	99666900	SM134V LED37S/830 W20L120 IA1 OC	Wireless Dim
34853300	SM134V LED37S/830 PSU W20L120 NOC	No	99670600	SM134V LED37S/840 W20L120 ELB3 IA1 OC	Wireless Dim
34854000	SM134V LED27S/830 PSU W20L120 NOC	No	99671300	SM134V LED37S/840 W20L120 ELB3 IA1 NOC	Wireless Dim

## CoreLine Surface-mounted

### Operating and Electrical

Order Code	Full Product Name	Input Voltage	Order Code	Full Product Name	Input Voltage
34851900	SM134V LED375/830 PSU W60L60 NOC	220 to 240 V	34856400	SM134V LED375/840 PSD W20L120 NOC	220 to 240 V
34852600	SM134V LED275/830 PSU W60L60 NOC	220 to 240 V	34859500	SM134V LED375/830 PSD W20L120 NOC	220 to 240 V
34855700	SM134V LED375/840 PSD W60L60 NOC	220 to 240 V	34860100	SM134V LED275/830 PSD W20L120 NOC	220 to 240 V
34857100	SM134V LED375/830 PSD W60L60 NOC	220 to 240 V	34863200	SM134V LED375/840 PSD W20L120 OC	220 to 240 V
34858800	SM134V LED275/830 PSD W60L60 NOC	220 to 240 V	34864900	SM134V LED275/840 PSD W20L120 OC	220 to 240 V
34861800	SM134V LED375/840 PSD W60L60 OC	220 to 240 V	34867000	SM134V LED375/830 PSD W20L120 OC	220 to 240 V
34862500	SM134V LED275/840 PSD W60L60 OC	220 to 240 V	34868700	SM134V LED275/830 PSD W20L120 OC	220 to 240 V
34865600	SM134V LED375/830 PSD W60L60 OC	220 to 240 V	34870000	SM134V LED375/840 PSU W20L120 NOC	220 to 240 V
34866300	SM134V LED275/830 PSD W60L60 OC	220 to 240 V	34876200	SM134V LED275/840 PSU W20L120 NOC	220 to 240 V
34869400	SM134V LED375/840 PSU W60L60 NOC	220 to 240 V	34878600	SM134V LED275/840 PSD W20L120 NOC	220 to 240 V
34871700	SM134V LED375/840 PSU W60L60 ELB3 NOC	220 to 240 V	34882300	SM134V LED375/840 PSU W20L120 OC	220 to 240 V
34872400	SM134V LED375/840 PSD W60L60 ELB3 NOC	220 to 240 V	34884700	SM134V LED375/830 PSU W20L120 OC	220 to 240 V
34873100	SM134V LED375/840 PSD W60L60 ELB3 OC	220 to 240 V	34885400	SM134V LED275/840 PSU W20L120 ELB3 NOC	220 to 240 V
34874800	SM134V LED275/840 PSD W60L60 ELB3 OC	220 to 240 V	34886100	SM134V LED375/840 PSU W20L120 ELB3 NOC	220 to 240 V
34875500	SM134V LED275/840 PSU W60L60 NOC	220 to 240 V	34887800	SM134V LED275/840 PSD W20L120 ELB3 NOC	220 to 240 V
34877900	SM134V LED275/840 PSD W60L60 NOC	220 to 240 V	34888500	SM134V LED375/840 PSD W20L120 ELB3 NOC	220 to 240 V
34879300	SM134V LED275/840 PSU W60L60 ELB3 NOC	220 to 240 V	34889200	SM134V LED275/840 PSD W20L120 ELB3 OC	220 to 240 V
34880900	SM134V LED275/840 PSD W60L60 ELB3 NOC	220 to 240 V	34890800	SM134V LED375/840 PSD W20L120 ELB3 OC	220 to 240 V
34881600	SM134V LED375/840 PSU W60L60 OC	220 to 240 V	34891500	SM134V LED275/830 PSU W20L120 ELB3 NOC	220 to 240 V
34883000	SM134V LED375/830 PSU W60L60 OC	220 to 240 V	34892200	SM134V LED375/830 PSU W20L120 ELB3 NOC	220 to 240 V
99665200	SM134V LED375/840 W60L60 IA1 NOC	220-240 V	34893900	SM134V LED275/830 PSD W20L120 ELB3 NOC	220 to 240 V
99667600	SM134V LED375/840 W60L60 IA1 OC	220-240 V	34894600	SM134V LED375/830 PSD W20L120 ELB3 NOC	220 to 240 V
99668300	SM134V LED375/830 W60L60 IA1 NOC	220-240 V	99662100	SM134V LED375/840 W20L120 IA1 NOC	220-240 V
99669000	SM134V LED375/830 W60L60 IA1 OC	220-240 V	99663800	SM134V LED375/840 W20L120 IA1 OC	220-240 V
99672000	SM134V LED375/840 W60L60 ELB3 IA1 NOC	220-240 V	99664500	SM134V LED375/830 W20L120 IA1 NOC	220-240 V
99673700	SM134V LED375/840 W60L60 ELB3 IA1 OC	220-240 V	99666900	SM134V LED375/830 W20L120 IA1 OC	220-240 V
34853300	SM134V LED375/830 PSU W20L120 NOC	220 to 240 V	99670600	SM134V LED375/840 W20L120 ELB3 IA1 OC	220-240 V
34854000	SM134V LED275/830 PSU W20L120 NOC	220 to 240 V	99671300	SM134V LED375/840 W20L120 ELB3 IA1 NOC	220-240 V

### Initial Performance (IEC Compliant) (1/2)

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux	Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34851900	SM134V LED375/830 PSU W60L60 NOC	(0.43, 0.40)	3000 K	109 lm/W	3700 lm	34858800	SM134V LED275/830 PSD W60L60 NOC	(0.43, 0.40)	3000 K	89 lm/W	2700 lm
34852600	SM134V LED275/830 PSU W60L60 NOC	(0.43, 0.40)	3000 K	95 lm/W	2700 lm	34861800	SM134V LED375/840 PSD W60L60 OC	(0.38, 0.38)	4000 K	117 lm/W	3700 lm
34855700	SM134V LED375/840 PSD W60L60 NOC	(0.38, 0.38)	4000 K	104 lm/W	3700 lm	34862500	SM134V LED275/840 PSD W60L60 OC	(0.38, 0.38)	4000 K	123 lm/W	2700 lm
34857100	SM134V LED375/830 PSD W60L60 NOC	(0.43, 0.40)	3000 K	104 lm/W	3700 lm	34865600	SM134V LED375/830 PSD W60L60 OC	(0.43, 0.40)	3000 K	117 lm/W	3700 lm

## CoreLine Surface-mounted

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34866300	SM134V LED27S/830 PSD W60L60 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	2700 lm
34869400	SM134V LED37S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	109 lm/W	3700 lm
34871700	SM134V LED37S/840 PSU W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	97 lm/W	3700 lm
34872400	SM134V LED37S/840 PSD W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	95 lm/W	3700 lm
34873100	SM134V LED37S/840 PSD W60L60 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	3700 lm
34874800	SM134V LED27S/840 PSD W60L60 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	2700 lm
34875500	SM134V LED27S/840 PSU W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	100 lm/W	2700 lm
34877900	SM134V LED27S/840 PSD W60L60 NOC	(0.38, 0.38) SDCM <3	4000 K	102 lm/W	2700 lm
34879300	SM134V LED27S/840 PSU W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34880900	SM134V LED27S/840 PSD W60L60 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34881600	SM134V LED37S/840 PSU W60L60 OC	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3700 lm
34883000	SM134V LED37S/830 PSU W60L60 OC	(0.43, 0.40) SDCM <3	3000 K	107 lm/W	3700 lm
99665200	SM134V LED37S/840	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
	W60L60 IA1 NOC				
99667600	SM134V LED37S/840 W60L60 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99668300	SM134V LED37S/830 W60L60 IA1 NOC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99669000	SM134V LED37S/830 W60L60 IA1 OC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99672000	SM134V LED37S/840 W60L60 ELB3 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
99673700	SM134V LED37S/840 W60L60 ELB3 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
34853300	SM134V LED37S/830 PSU W20L120 NOC	(0.43, 0.40) SDCM <3	3000 K	109 lm/W	3700 lm
34854000	SM134V LED27S/830 PSU W20L120 NOC	(0.43, 0.40) SDCM <3	3000 K	95 lm/W	2700 lm
34856400	SM134V LED37S/840 PSD W20L120 NOC	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	3700 lm
34859500	SM134V LED37S/830 PSD W20L120 NOC	(0.43, 0.40) SDCM <3	3000 K	104 lm/W	3700 lm
34860100	SM134V LED27S/830 PSD W20L120 NOC	(0.43, 0.40) SDCM <3	3000 K	89 lm/W	2700 lm
34863200	SM134V LED37S/840 PSD W20L120 OC	(0.38, 0.38) SDCM <3	4000 K	117 lm/W	3700 lm
34864900	SM134V LED27S/840 PSD W20L120 OC	(0.38, 0.38) SDCM <3	4000 K	123 lm/W	2700 lm

## CoreLine Surface-mounted

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
34867000	SM134V LED37S/830 PSD W20L120 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	3700 lm
34868700	SM134V LED27S/830 PSD W20L120 OC	(0.43, 0.40) SDCM <3	3000 K	117 lm/W	2700 lm
34870000	SM134V LED37S/840 PSU W20L120 NOC	(0.38, 0.38) SDCM <3	4000 K	109 lm/W	3700 lm
34876200	SM134V LED27S/840 PSU W20L120 NOC	(0.38, 0.38) SDCM <3	4000 K	100 lm/W	2700 lm
34878600	SM134V LED27S/840 PSD W20L120 NOC	(0.38, 0.38) SDCM <3	4000 K	102 lm/W	2700 lm
34882300	SM134V LED37S/840 PSU W20L120 OC	(0.38, 0.38) SDCM <3	4000 K	121 lm/W	3700 lm
34884700	SM134V LED37S/830 PSU W20L120 OC	(0.43, 0.40) SDCM <3	3000 K	107 lm/W	3700 lm
34885400	SM134V LED27S/840 PSU W20L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34886100	SM134V LED37S/840 PSU W20L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	97 lm/W	3700 lm
34887800	SM134V LED27S/840 PSD W20L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	89 lm/W	2700 lm
34888500	SM134V LED37S/840 PSD W20L120 ELB3 NOC	(0.38, 0.38) SDCM <3	4000 K	104 lm/W	3700 lm
34889200	SM134V LED27S/840	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	2700 lm

Order Code	Full Product Name	Initial chromaticity	Init. Corr. Colour Temperature	Initial LED luminaire efficacy	Initial luminous flux
	PSD W20L120 ELB3 OC				
34890800	SM134V LED37S/840 PSD W20L120 ELB3 OC	(0.38, 0.38) SDCM <3	4000 K	106 lm/W	3700 lm
34891500	SM134V LED27S/830 PSU W20L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	84 lm/W	2700 lm
34892200	SM134V LED37S/830 PSU W20L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	97 lm/W	3700 lm
34893900	SM134V LED27S/830 PSD W20L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	79 lm/W	2700 lm
34894600	SM134V LED37S/830 PSD W20L120 ELB3 NOC	(0.43, 0.40) SDCM <3	3000 K	95 lm/W	3700 lm
99662100	SM134V LED37S/840 W20L120 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99663800	SM134V LED37S/840 W20L120 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	104.5 lm/W	3700 lm
99664500	SM134V LED37S/830 W20L120 IA1 NOC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99666900	SM134V LED37S/830 W20L120 IA1 OC	(0.43, 0.40) SDCM <3	3000 K	104.5 lm/W	3700 lm
99670600	SM134V LED37S/840 W20L120 ELB3 IA1 OC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm
99671300	SM134V LED37S/840 W20L120 ELB3 IA1 NOC	(0.38, 0.38) SDCM <3	4000 K	94 lm/W	3700 lm

### Initial Performance (IEC Compliant) (2/2)

## CoreLine Surface-mounted

Order Code	Full Product Name	Initial input power
34851900	SM134V LED37S/830 PSU W60L60 NOC	34 W
34852600	SM134V LED27S/830 PSU W60L60 NOC	28.5 W
34855700	SM134V LED37S/840 PSD W60L60 NOC	35.5 W
34857100	SM134V LED37S/830 PSD W60L60 NOC	35.5 W
34858800	SM134V LED27S/830 PSD W60L60 NOC	30.5 W
34861800	SM134V LED37S/840 PSD W60L60 OC	31.5 W
34862500	SM134V LED27S/840 PSD W60L60 OC	22 W
34865600	SM134V LED37S/830 PSD W60L60 OC	31.5 W
34866300	SM134V LED27S/830 PSD W60L60 OC	23 W
34869400	SM134V LED37S/840 PSU W60L60 NOC	34 W
34871700	SM134V LED37S/840 PSU W60L60 ELB3 NOC	38 W
34872400	SM134V LED37S/840 PSD W60L60 ELB3 NOC	39 W
34873100	SM134V LED37S/840 PSD W60L60 ELB3 OC	35 W
34874800	SM134V LED27S/840 PSD W60L60 ELB3 OC	25.5 W
34875500	SM134V LED27S/840 PSU W60L60 NOC	27 W
34877900	SM134V LED27S/840 PSD W60L60 NOC	26.5 W
34879300	SM134V LED27S/840 PSU W60L60 ELB3 NOC	30.5 W
34880900	SM134V LED27S/840 PSD W60L60 ELB3 NOC	30.5 W
34881600	SM134V LED37S/840 PSU W60L60 OC	30.5 W
34883000	SM134V LED37S/830 PSU W60L60 OC	34.5 W
99665200	SM134V LED37S/840 W60L60 IA1 NOC	35.4 W
99667600	SM134V LED37S/840 W60L60 IA1 OC	35.4 W
99668300	SM134V LED37S/830 W60L60 IA1 NOC	35.4 W
99669000	SM134V LED37S/830 W60L60 IA1 OC	35.4 W
99672000	SM134V LED37S/840 W60L60 ELB3 IA1 NOC	39.3 W
99673700	SM134V LED37S/840 W60L60 ELB3 IA1 OC	39.3 W
34853300	SM134V LED37S/830 PSU W20L120 NOC	34 W
34854000	SM134V LED27S/830 PSU W20L120 NOC	28.5 W

Order Code	Full Product Name	Initial input power
34856400	SM134V LED37S/840 PSD W20L120 NOC	35.5 W
34859500	SM134V LED37S/830 PSD W20L120 NOC	35.5 W
34860100	SM134V LED27S/830 PSD W20L120 NOC	30.5 W
34863200	SM134V LED37S/840 PSD W20L120 OC	31.5 W
34864900	SM134V LED27S/840 PSD W20L120 OC	22 W
34867000	SM134V LED37S/830 PSD W20L120 OC	31.5 W
34868700	SM134V LED27S/830 PSD W20L120 OC	23 W
34870000	SM134V LED37S/840 PSU W20L120 NOC	34 W
34876200	SM134V LED27S/840 PSU W20L120 NOC	27 W
34878600	SM134V LED27S/840 PSD W20L120 NOC	26.5 W
34882300	SM134V LED37S/840 PSU W20L120 OC	30.5 W
34884700	SM134V LED37S/830 PSU W20L120 OC	34.5 W
34885400	SM134V LED27S/840 PSU W20L120 ELB3 NOC	30.5 W
34886100	SM134V LED37S/840 PSU W20L120 ELB3 NOC	38 W
34887800	SM134V LED27S/840 PSD W20L120 ELB3 NOC	30.5 W
34888500	SM134V LED37S/840 PSD W20L120 ELB3 NOC	35.5 W
34889200	SM134V LED27S/840 PSD W20L120 ELB3 OC	25.5 W
34890800	SM134V LED37S/840 PSD W20L120 ELB3 OC	35 W
34891500	SM134V LED27S/830 PSU W20L120 ELB3 NOC	32 W
34892200	SM134V LED37S/830 PSU W20L120 ELB3 NOC	38 W
34893900	SM134V LED27S/830 PSD W20L120 ELB3 NOC	34 W
34894600	SM134V LED37S/830 PSD W20L120 ELB3 NOC	39 W
99662100	SM134V LED37S/840 W20L120 IA1 NOC	35.4 W
99663800	SM134V LED37S/840 W20L120 IA1 OC	35.4 W
99664500	SM134V LED37S/830 W20L120 IA1 NOC	35.4 W
99666900	SM134V LED37S/830 W20L120 IA1 OC	35.4 W
99670600	SM134V LED37S/840 W20L120 ELB3 IA1 OC	39.3 W
99671300	SM134V LED37S/840 W20L120 ELB3 IA1 NOC	39.3 W

