



MASTER LEDbulb

MASTER LEDbulb DT 8.5-60W B22 A60 CL

MASTER LEDbulb range delivers a dimmable glow effect for a welcoming, warm atmosphere, making it ideal for general lighting applications in the hospitality industry. Its unique design radiates warm light in all directions, making it a true alternative to the incandescent lamp. It is particularly suitable for public areas such as lobbies, corridors, stairwells, where the light is always on. Compatible with existing fixtures with an E27 or a B22 holder and designed for retrofit replacement of incandescent bulbs, MASTER LEDbulb delivers huge energy savings and minimises maintenance cost without any compromise on light quality.

Warnings and Safety

- Operating temperature range is between -20° C and 45° C ambient
- Only to apply in dry or damp locations and most of open fixtures with lamp-holders that offer sufficient space (10 mm free air space)
- Not intended for use with emergency light fixtures or exit lights

Product data


General Information		Colour consistency	
Cap base	B22 [B22]	Colour consistency	<6
EU RoHS compliant	Yes	Colour rendering index (nom.)	80
Nominal lifetime (nom.)	25000 h	LLMF at end of nominal lifetime (nom.)	70 %
Switching cycle	50,000X	Operating and Electrical	
Technical type	8.5-60W	Input frequency	50 to 60 Hz
		Power (Rated) (Nom)	8.5 W
		Lamp current (nom.)	45 mA
		Wattage equivalent	60 W
		Starting time (nom.)	0.5 s
		Warm-up time to 60% light (nom.)	0.5 s
		Power factor (nom.)	0.7
Light Technical			
Colour Code	822-827 [tunable warm white]		
Luminous flux (nom.)	806 lm		
Colour designation	Warm white (WW)		
Correlated Colour Temperature (Nom)	- K		
Luminous efficacy (rated) (nom.)	94 lm/W		

MASTER LEDbulb

Voltage (Nom)	220-240 V
Temperature	
T-Case maximum (nom.)	110 °C
Controls and Dimming	
Dimmable	Yes
Mechanical and Housing	
Lamp Finish	Clear
Approval and Application	
Energy efficiency label (EEL)	A+
Energy-saving product	Yes

Suitable for accent lighting	No
Energy consumption kWh/1,000 hours	9 kWh
Product Data	
Full product code	871869648134900
Order product name	MASTER LEDbulb DT 8.5-60W B22 A60 CL
EAN/UPC – product	8718696481349
Order code	48134900
SAP numerator – quantity per pack	1
Numerator – packs per outer box	10
Material no. (12 NC)	929001150732
SAP net weight (piece)	0.076 kg


Dimensional drawing



LED DT 9-60W B22 A60 CL

Product	D	C
MASTER LEDbulb DT 8.5-60W B22 A60 CL	60 mm	110 mm

Photometric data



MASTER LEDbulb

